


EVA-LAST

INSPIRED BY NATURE, DESIGNED FOR LIFE.



Better decking. Better living.



www.eva-last.net.au



Apex PLUS

BETTER PERFORMING, BETTER LOOKING COMPOSITE


Apex PLUS takes the benefits of Apex composite to the next level. It offers the natural look of Apex in cutting-edge composite technology. Its improved foamed-PVC and glass fiber-reinforced core creates a more durable and versatile board with increased span capabilities and greater stability. This eco-friendly and slip resistant composite is low maintenance and faces Mother Nature's toughest conditions with reliable long-term performance and timeless style.

GFR | GLASS FIBER
REINFORCED

PRODUCT COMPOSITION

Apex PLUS

Apex PLUS upgrades your outdoor space with a cutting-edge composition that is equally beautiful and resilient. Its reinforced core gives you greater design freedom by reducing the amount of substructure your project needs and its specialised composition minimises contraction and expansion for a more stable board.



Capping material:

Engineered acrylic polymer

Core material:

Foamed-PVC composite with
glass fiber-reinforcement

GFR | GLASS FIBER
REINFORCED





TAKE HOME THE BENEFITS

Apex PLUS



INCREASED SPAN

Reinforcement improves strength & span capability



MORE STABLE

Less movement from expansion & contraction



NATURAL AESTHETIC

Advanced technology for more natural looking composite



SLIP RESISTANT

Reliable slip resistance properties



LOW-MAINTENANCE

Only basic care required for optimal longevity



PROTECTIVE CAP

Fade, scratch, & stain resistant capping technology



DECAY RESISTANT

Resists insects, moisture, & weather



ECO-FRIENDLY

Long-lasting & prevents deforestation

Apex PLUS




REINFORCED, CAPPED PVC COMPOSITE



140 x 24 mm
190 x 24 mm
Grooved both sides




140 x 24 mm
190 x 24 mm
Rectangular profile



SCULPTED GRAIN

GFR / GLASS FIBER
REINFORCED



SCULPTED GRAIN

GFR / GLASS FIBER
REINFORCED

GROOVED BOARD

The Apex PLUS single sided grooved board in foamed-PVC with a glass fiber-reinforced core offers a flawless, fastener-free final look thanks to the grooves along its edges which are designed for streamlined installation using HULK hidden fastener clips.

Dimensions	190 x 24 mm (5,45m lengths)
Weight	3.84 kg / m
Recommended Joist spacing	Up to 450 mm on centres

Grooved board



Fasteners



Compatible with
S-Series clip




Compatible with
Chain collated clips

SQUARE EDGE BOARD

The Apex PLUS single sided starter board in foamed-PVC with a glass fiber-reinforced core is designed for use as decking and stair edges. Install using HULK hidden fastener clips on grooved edges and HULK colour matching top fixing screws on square edges.

Dimensions	190 x 24 mm (5,45m lengths)
Weight	3.98 kg / m
Recommended Joist spacing	Up to 450 mm on centres

Square edge board



Fasteners



Uses HULK composite
top fixing screws
on non-grooved edges

Please refer to the Apex colours page to see our full colour range.



APEX PLUS DUAL TONE COLOURS


Apex PLUS offers a carefully crafted dual tone colour range which adds an extra layer of colour to each board to embrace the nuances found in timber and enhance the natural look of your project.




SURFACE FINISH




Sculpted Grain Finish



HIMALAYAN CEDAR



HAWAIIAN WALNUT



ALASKAN DRIFTWOOD

Apex PLUS is produced with random colour variations within the product to mimic that of natural timber. So in any colour, you will get a variety of lighter and darker tones just as nature intended. This only adds to the aesthetic appeal of your composite decking.

Infinity IS

CUT COST, NOT QUALITY

Infinity IS combines all the benefits of durable Infinity composite with the advantages of I-Series to give you a durable co-extruded composite offering low maintenance, and an advanced resilient polymer cap for protection against scratches, fading, moisture issues, decay, and weather, as well as stain and slip resistance. With Infinity IS specialised streaked colour variation technology you can enjoy the look of timber in an environmentally friendly composite deck. The revolutionary I-beam design creates a cost-effective, lightweight board that uses less material, yet maintains span capabilities, strength, and stiffness for a more efficient installation. This improved environmentally friendly composite is holistically sustainable from its manufacturing to its use of raw material.

PRODUCT COMPOSITION



I-Series offers a cost-effective, lightweight decking option thanks to its revolutionary shape which uses less material but maintains class-leading strength, stiffness, and span capability.



(P) PATENTED TECHNOLOGY

Capping material:
Engineered polymer

Core material:
PE composite



COST-EFFECTIVE
Smart shape saves on transport & installation



LIGHTWEIGHT
I-beam design is lighter by using less material



SPAN
Span capability of heavier boards



INSTALLATION
Easier and more efficient installation





TAKE HOME THE BENEFITS

Infinity



DURABLE

One of the toughest co-extruded composites



PROTECTIVE CAP

Fade, scratch, & stain resistant capping technology



LOW-MAINTENANCE

Only basic care required for optimal longevity



DECAY RESISTANT

Resists insects, moisture, & weather



STAIN RESISTANT

Built-in protection against stains



SLIP RESISTANT

Reliable anti-slip protection



NATURAL LOOK

Specialised streaked colour technology



ECO-FRIENDLY

Sustainable manufacturing & use of raw material

LIGHTWEIGHT, CAPPED COMPOSITE DECKING



135 x 25.4 mm
Grooved
both sides



135 x 25.4 mm
Grooved
one side



SCULPTED GRAIN



SCULPTED GRAIN

GROOVED BOARD

The Infinity IS single sided grooved board installs efficiently and securely with HULK hidden fastener clips which slot into the grooves along the edges of the board and create a neat uninterrupted final look.

Dimensions	135 x 25.4 mm (5,45m lengths)
Weight	2.84 kg / m
Recommended Joist spacing	Up to 450 mm on centres

Grooved board



Fasteners



Compatible with
S-Series clip



Compatible with
Chain collated clips

STARTER BOARD

The Infinity IS single sided starter deck board offers one grooved edge and one solid edge, making it perfect for deck perimeters, picture framing decks, and creating stair edges. It fastens with a combination of HULK hidden fasteners and colour matched HULK composite decking screws.

Dimensions	135 x 25.4 mm (5,45m lengths)
Weight	2.7 kg / m
Recommended Joist spacing	Up to 450 mm on centres

Starter board



Fasteners



Compatible with
S-Series clip



Compatible with
Chain collated clips



Uses HULK composite
top fixing screws
on non-grooved edges

Infinity



CAPPED COMPOSITE FASCIA



150 x 12mm
Fascia board



SCULPTED GRAIN

FASCIA BOARD

The Infinity single sided fascia boards are non-load bearing profiles that add a neat finish to deck edges or areas where trim is needed. They are neatly fastened by top fixing colour matching HULK composite trim screws.

Dimensions	150 x 12 mm (2,2 m lengths)
Weight	2.3 kg / m
Recommended Joist spacing	Up to 450 mm on centres

Fascia board



Fasteners



Uses HULK composite top fixing screws



Scan to view the Infinity Installation Guide







Please refer to the Infinity IS colours page to see our full colour range.





SCULPTED GRAIN SURFACE FINISH COLOUR GUIDE

Infinity composite offers incredibly natural-looking colours thanks to its advanced colour technology which gives each board unique colour variation to embody the essence of timber. Enjoy the beauty of wood with the benefits of composite.



Infinity IS is produced with random colour variations within the product to mimic that of natural timber. So in any colour, you will get a variety of lighter and darker tones just as nature intended. This only adds to the aesthetic appeal of your composite decking.

CAPPED COMPOSITE SCREENING



SCREEN BOARD

The Infinity screen board is a thin, lightweight composite profile. This double sided board offers a brushed finish on both faces of the profile to create a neat aesthetic for cladding or screening. HULK top fixing screws securely fasten the board in place and are available in colours to match the composite boards for a seamless look.

Dimensions	70 x 16 mm (5,4 m lengths)
Weight	1.4 kg/m
Recommended Joist spacing	1200 mm when fixed to 3 or more supports 900 mm when between 2 supports



BRUSHED SOFTWOOD

Screen board





Fasteners



Uses HULK composite top fixing screws

INFINITY BRUSHED SOFTWOOD SURFACE FINISH COLOUR GUIDE



Infinity is produced with random colour variations within the product to mimic that of natural timber. So in any colour, you will get a variety of lighter and darker tones just as nature intended. This only adds to the aesthetic appeal of your composite decking.



HULK FASTENERS.

FASTENED, FOR LIFE.



Corrosion Resistant



Colour Matched Aesthetic



Neat Surface Finish








Fast and Easy Installation



No Pre-drilling Required

DESIGNED FOR PROFESSIONALS. PERFECT FOR NOVICES.

Eva-Last has developed a range of fasteners that thoroughly complement our composite products to ensure the stability and longevity of your deck. HULK fasteners are specially designed to securely fasten the deck boards to a substructure, but can also be used in other wood or steel fixing applications. The coating employed for our HULK fasteners ensures the fixing system supports your deck through out its lifespan.

HULK FASTENERS				
Image	Colour	Bits	Material	Units per packet
 <p>HALO CLIP (S9)</p>	Black	N/A	Stainless steel 430	125 & 350
 <p>SCREW FOR TIMBER</p>	Black	T 15	Stainless steel 316	
 <p>SCREW FOR METAL</p>	Black	T 15	Carbon steel C1022	
 <p>CDS SCREW</p>	Dark Brown Brown Light Brown Light Grey Dark Grey	TX 20	Stainless steel 316	75
 <p>MDS SCREW</p>	Dark Brown Brown Light Brown Light Grey Dark Grey	TX 20	Carbon steel C1022	75

TOP FIXING COMPOSITE DECK SCREWS

The colours of our top fixing deck screws (CDS & MDS) can be perfectly matched to your deck boards.



Dark Brown Brown Light Brown Light Grey Dark Grey



chain

Collated decking clip

A PRODUCT BY **HULK** FASTENERS.

GET THE JOB DONE FASTER.

Chain collated clips save you time and money by streamlining installation with pre-loaded screws that offer cutting-edge performance for the entire lifespan of your deck. Enjoy a simpler installation and a more secure long-term fastener that complements the overall look of your deck.

FEATURES AND BENEFITS



MORE EFFICIENT INSTALLATION

Collated system comes pre-loaded with screws for quicker installation



DURABLE

Stainless steel clip with a protective polymer coating for extended outdoor longevity



INNOVATIVE ENGINEERING

Cost-effective use of materials without affecting grip strength or overall clip performance



UNIVERSAL APPLICATION

Works with timber & composite boards of variable thickness & groove depths



STRENGTH IN SIZE

Proven strength in uplift holding power & preventing lateral movement of boards



EASIER POST-INSTALLATION ACCESS

More convenient post-installation board removal with direct overhead fastener access

CHAIN COLLATED CLIPS

Chain collated clips offer a smarter solution for creating an outdoor decking oasis. Each clip is pre-loaded with either a timber or metal frame screw for ease of installation. Like all Eva-Last products, Chain collated clips are built on the principle of longevity. The durable and high quality materials of Chain collated clips, make installations more efficient and longer lasting, for both professionals and novices alike.



Chain collated clip preloaded with Timber Screws



Chain collated clip preloaded with Metal Screws

CHAIN HAND TOOL


The Chain hand tool adds value to the Chain collated clip system by maximising installation efficiency. The hand tool creates precise fastening thanks to its built-in depth control system that eliminates installation errors and weak connections. The hand tool is compatible with a wide range of composite and timber board sizes, ergonomically designed for ease of use, and made from high quality materials for long-lasting reliability.





LOW ENVIRONMENTAL IMPACT

Holistically sustainable manufacturing & use of raw materials



CHOOSE SUSTAINABLE BUILDING MATERIALS



RENEWABLE RESOURCES & RENEWABLE ENERGY

We believe that how we manufacture is just as important as what we manufacture when it comes to going green. That's why we've traded in fossil fuels for renewable energy. Our products use solar power as part of our manufacturing process. We are fully committed to bringing you a product that's holistically sustainable.

Eva-Last is internationally recognised for our commitment to the environment. We're proud of the work we do to promote environmental sustainability, and invite you to choose timber alternatives that are gentle on the Earth.

- Made from recycled materials
- No trees felled
- No treatment or toxic chemicals required for maintenance
- Solar power used in the manufacturing process
- Reduced impact on landfills
- Reduced carbon footprint

Proudly distributed in Australia by



saleswa@iti.net.au

ITI WA (Perth) - Tel: 08 9256 5700

102-108 Bannister Rd, Canning Vale, WA 6155



www.eva-last.net.au

Eva-Last reserves the rights to all brands, products and trademarks within this publication.
Eva-Last ITEM: 0523 V2 WA-DECKING BROCHURE

Disclaimer:

Although we make every effort to ensure the information contained in this brochure is accurate, we are NOT responsible for any errors or misprint that occurs and we are NOT responsible for ANY damage or liability that result from the use (or misuse) of the information. In the event that an error does occur, we reserve the right to correct, or make changes to, this information at any time.

Disclaimer:

Span data provided herein is indicative based on specific test load conditions (refer to your product Technical Data Sheet). Dimensional and mass data provided herein is indicative based on typical production and may vary with manufacture and material tolerance. Before installing any Eva-Last product, ensure that the application is rational and complies with the local regulations and building codes. Wherever necessary, consult a suitably qualified professional.